

# ARCHITECTURAL LED TROFFERS






# ECONOMICAL & HIGH PERFORMANCE

## AMICA 2



Designed for shallow plenum applications with a classic aesthetic. Even illumination and high efficiency at a competitive price point.



1x2 | 1x4 | 2x2 | 2x4



3.90" high for shallow plenum applications.

Easy maintenance with below ceiling access.

## EQUATION™ 2



Efficient with a sleek aesthetic, versatile mounting options and uniform diffuse illumination.



1x1 | 1x4 | 2x2 | 2x4



3.91" high for shallow plenum applications. Except 1x1 size.

Easy maintenance with below ceiling access.



MicroGlow lens option provides brightness control and visual comfort.




# COMFORTABLE & FLEXIBLE

## LUNA® LED



Curved one-piece housing with perforated center basket and frosted side diffusers provide a soft and balanced appearance for exceptional visual comfort.




1x4 | 2x2 | 2x4

High angle uniform distribution with indirect glare-free illumination.

## ZEPHYR®



A non-directional luminaire with a unique design creating the impression of a floating bottom lens.



1x4 | 2x2

Dual lens optical solution controls brightness while maintaining high efficiency.



Hinged optical assembly allows for easy maintenance.



# HIGH DESIGN


## FACETTA



A sharp angled lens inspired by the facets of a prism, a soft uniform glow creates visual appeal.



2x2



Allows for the creation of patterns to add texture and a hint of eclecticism to the ceiling plane.

Hinged optical assembly allows for easy maintenance with below ceiling access.

## NIVO®



Playful and dynamic, infuse texture and pattern to ceiling planes with a solid or hollow drop-down lens.



2x2



Flush lens option in addition to drop diffuser up to 7" down from ceiling in 1" increments.



Hollow lens option.



	ECONOMICAL & HIGH PERFORMANCE		COMFORTABLE & FLEXIBLE		HIGH DESIGN						
	AMICA 2		EQUATION 2		LUNA LED		ZEPHYR		FACETTA		NIVO
LUMEN OUTPUTS <small>*Consult cutsheet, not available in all sizes.</small>	2000	6000*	1000*	5000	2000*	5000*	1000	5000	1000	4000	1000
	2500	6500*	1500*	5500	2500*	5500*	1500	5500	1500	4500	1500
	3000	7000*	2000	6000	3000	6000*	2000	6000*	2000	5000	2000
	3500	7500*	2500	6500	3500	6500*	2500	6500*	2500	5500	2500
	4000	8000*	3000	7000*	4000*	7000*	3000	7000*	3000	6000	3000
	4500		3500	7500*	4500*		3500	7500*	3500		3500
	5000		4000	8000*			4000				4000
	5500*		4500	8500*			4500				
CCT <small>Additional CCTs available upon request</small>	3000K - 4000K		2700K - 4000K		2700K - 4000K		2700K - 4000K		2700K - 4000K		3000K - 4000K
HOUSING HEIGHT	3.90"		3.91" 4.77" (1x1)		5.03" 5.00" (1x4)		5.57" 5.21" (1x4)		5.42"		5.07"
MOUNTING	Recessed Surface Suspended		Recessed Surface Suspended		Recessed Surface Suspended		Recessed		Recessed		Recessed
SIZES	1x2, 1x4, 2x2, 2x4		1x1, 1x4, 2x2, 2x4		1x4, 2x2, 2x4		1x4, 2x2		2x2		2x2



**FOCAL POINT®**

Bringing It All To Light®



Connected Solutions



PoE Compatible



Quickship



Right Light



Tunable White