

TruTile

Easily transition from ceiling to walls with TruTile™. The modular, 2'x2' acoustic wall tiles support the creation of unique accent walls and bespoke wall art pieces that infuse spaces with beauty and enhance occupants' comfort.

Mix and match various standard
TruTile Designs, Textures, and
Shapes and play with tile orientation
to create unique patterns. TruTile
offers a coordinated look with our
other acoustic solutions using a
shared PET felt color palette and
The Naturals collection of five
nature-inspired finishes.

Easily source ceiling and wall acoustic solutions for your projects from a single, vertically integrated manufacturer that provides peace of mind at every step, from design to manufacturing.


TruTile, curiosity at your fingertips.




TruTile DESIGNS

Curvaceous and linear designs intended for vertical or horizontal installation on walls.

Play with tile design and orientation to create a myriad of bespoke installations.







Wide Arc - Verical pattern in Walnut



Wide Rule & Wide Slant - Alternating pattern in Slate



Multitrack - Vertical pattern in Midnight Blue




Double Arc - Wave pattern in Seafoam



Diamond - Vertical Brick pattern in Limestone

TruTile **TEXTURES** Deeper textural designs capture light and the attention of the viewer. A quick, easy, and budget-friendly way to transform spaces.





Pinwale & Feathercord - Vertical pattern in Pearl Ice

TruTile SHAPES

Organic shapes intended to fluidly nestle.

Part wall art, part wall covering, all beauty and noise control.







Scallop - Vertical pattern in Blush & Light Oak



Gem - Braid pattern in Limestone & Emerald Green

ACOUSTIC MATERIALS

THE NATURALS (25% SCALE)









STANDARD PET



PURE BLACK PBK CHARCOAL GRAY CHG



SLATE SLT SHADOW GRAY SDG



SILVER GRAY SLG PEARL ICE



CLASSIC WHITE CWH NATURAL LINEN NTL



HAZELWOOD **HZW**

PREMIUM PET

DEEP WATER

CARROT

CINNAMON

DWT SEAFOAM

CRT PINEAPPLE

CNM LIMESTONE



PNA

SFM EMERALD GREEN EMG



INTERNATIONAL LIVING FUTURE INSTITUTE TWO TABLE TO A SECURITIONS

SPECIFICATIONS

Acoustic Material


| Content | Material is 100% polyester containing up to 50% of recycled plastic bottles (PET felt) and is moisture resistant. |
|-----------------------------------|---|
| | See Acoustic Materials page for color offering. Colors are subject to change without notice. For the most current color options, please visit focalpointlights.com/acousticsolutions. Lead times vary depending on color. |
| Cleaning and Care | Remove dust and debris with a clean, soft, lint-free cloth or vacuum |
| PET Thickness | 9mm |
| Surface Burning Characteristcs | ASTM E84 Class A / CAN ULC S102 Flame Spread: 0 Smoke Development Index: 300 |

Acoustic Performance

Acoustic testing is performed on all Focal Point acoustic products and varies based on installation and configuration. ASTM C423 test reports can be downloaded from focalpointlights.com. Contact acoustic.solutions@focalpointlights.com for technical questions.

| NRC | Noise Reduction Coefficient (NRC) is the average of how absorptive a material is at various frequencies within the human speech frequency range. Two materials with the same rating may not perform the same in application. |
|-----|---|
| | Typically, an NRC of 0 indicates perfect reflection, and an NRC of 1 is designated as perfect absorption. However, based on the testing methodology and depending upon the material's shape or surface area products can test at an NRC greater than 1. |
| | NRC = 0.30 |


Light Reflectivity



Weight

1.8 lbs per tile. Ships up to (12) twelve per box = 25.25" x 25.25" x 5".

Dimensions



Reliability

At Focal Point, our products are designed to stand the test of time. Each product is engineered using superior components, manufactured with the utmost care and rigorously tested.

Warranty

1-year limited warranty.

