


seem™ 4 suspended

FSM4S



! CONFIGURATIONS ARE RUN SPECIFIC, PLEASE CONSULT FACTORY DRAWINGS BEFORE BEGINNING INSTALLATION. !

FOCAL POINT



KEY



POWER OFF



POWER ON



ATTENTION



SEE ADDITIONAL
INSTRUCTIONS




INDIVIDUAL
INSTALLATIONS FOLLOW
STEPS 1, 2, 5 & 6

PARTS LISTS


SHIPPED IN HARDWARE BAG



REFLECTOR (70008)
(6-32 X 5/16 PAN-HEAD
MACHINE SCREW)



CABLE GRIPPER
(73014) &
NYLON NUT
(70044)



LENS TOOL (A09052-02)
(AFFIXED TO HOUSING.
ONE PER RUN)

SHIPPED INSTALLED



JOINER PIN
(W5687)







JOINER
BRACKET
(11849)














JOINER
BRACKET
(18338)



LENS END
PIECE
(A08904)




Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.

BALLAST SERVICE



Contractor is responsible for adequately reinforcing walls and/or ceilings to support luminaire weight. Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings. The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.