

# Seem Sweep® 2 Straights

Direct/Indirect Suspended | FSS2S | FSS2BS



FOCAL POINT®



## BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

## INSTRUCTION KEY



**ATTENTION**



**SEE ADDITIONAL INSTRUCTIONS**




**POWER OFF**




**POWER ON**

## COMPONENT KEY


### FOCAL POINT




U - Individual



S - Start of Run



I - Intermediate



E - End of Run

Flush Lens

### SHIPPED INSTALLED




Reflector Screw  
(72026)


(6-32 x 1/4 self tapping screw)




Cable Gripper  
(700226)



Joint Gripper  
Bracket  
(A67186-01)



Endcap/Center  
Gripper Bracket  
(A67989-01)



Joiner Bracket Light  
Blocker Assembly

Joiner (A65487-01)  
Joining Screw (700309)  
Light Blocker (A65788-01)  
Mounting Screw (700355)

### SHIPPED IN HARDWARE BAG



Extra Joining Screw  
(700309)












Extra Gripper Bracket  
Mounting Screw (72093)

**1**

**I**

FOLLOW FOCAL POINT  
INSTRUCTIONS FOR UNIVERSAL  
SUSPENSION SYSTEM ASSEMBLY.  
SEE IS0166



# DRIVER SERVICE

