

Seem® 1 Family



Bringing It All To Light®

A narrow, nominal 1.5" aperture LED luminaire that delivers design flexibility with a clean visual aesthetic, Seem 1 supports diverse applications with modern finishes, individual lengths, and continuous runs in a variety of mounting styles: recessed, suspended, surface mount, and wall mount. Several shielding, color temperature, and distribution options provide the perfect blend of high performance and visual comfort.

The broad family goes beyond illumination with an acoustic luminaire and baffle system that leverages the narrow aperture and advanced light engine of Seem 1 while mitigating reverberation issues to deliver more comfortable environments.

Grid/ Drywall/Hard Ceiling		SPECIALITY OPTIONS MAY NOT BE COMBINED				COLOR			LENGTHS	PATTERNS
		SHEILDING	DISTRIBUTION	POINT SOURCE ⁴	LOUVER	LUMENS / FT	TEMP (K)	CRI		
			DISTRIBUTIONS	LUMENS						
	Point Source Only	-		-	-	-	-	-	Runs in 1' increments	-
	Asymmetric Lens		Narrow Flood Flood 1	250 ^{††} 350 450	-	-	-	-	Runs in 1" increments	Wall to ceiling ^{2,5} L, U, Rectangle, Custom
	Flush/Batwing		Flood 2 Wide Flood	125 ² 250 375 500 625 750 ¹ 875 ¹ 1000 ¹	Narrow Flood Flood 1 Flood 2	2700 ^{**} 3000 3500 4000	>80 >90	(Runs in 1' increments with Point Source options)		
	Fully Louvered	-	-	-	Wide Flood Louvered Mixing Chamber	-	-	Runs in 6" increments		
	0.5" Pop-Down Lens		-	-	-	-	-	-	Runs in 1" increments	-

Trio Recessed/ Surface/Pendant		SPECIALITY OPTIONS MAY NOT BE COMBINED				COLOR			LENGTHS	
		SHEILDING	DISTRIBUTION	POINT SOURCE ⁴	LOUVER	TOTAL LUMEN RANGE	TEMP (K)	CRI		
			DISTRIBUTIONS	LUMENS						
	Lit End Caps Direct: Flush Lens only		-	-	-	-	-	-	-	
	Point Source Direct/Indirect: Batwing optic and dust cover options.		Narrow Flood Flood 1	250 350 450	-	-	-	-	4' Direct Lens - 750-3750 4' Direct/Indirect Lens - 250-1250	4' Diameter (2' arms)
	Flush/Batwing Direct & Direct/ Indirect		Flood 2 Wide Flood	-	-	-	-	-	6' Direct Lens - 1125-5625 6' Direct/Indirect Lens - 3375-16875	
	Fully Louvered Direct/Indirect: Batwing optic, dust cover optic options.	-	-	-	Narrow Flood Flood 1 Flood 2 Wide Flood Mixing Chamber	-	-	-	4' Direct Louver - 1500-6000 4' Direct/Indirect Louver - 3000-13500 6' Direct Louver - 2250-9000 6' Direct/Indirect Louver - 4500-20250	


Suspended/ Surface/Wall*		SPECIALITY OPTIONS MAY NOT BE COMBINED				COLOR			LENGTHS	PATTERNS
		SHEILDING	DISTRIBUTION	POINT SOURCE ⁴	LOUVER	LUMENS / FT	TEMP (K)	CRI		
			DISTRIBUTIONS	LUMENS						
	Solid bottom Indirect only		-	-	250 375 500 625 800 1000 1250	2700 3000 3500 4000	>80 >90	Runs in 1' increments	L, U, Rectangle, Custom	
	Lit End Caps Direct: Flush Lens only		-	-	Matched to Direct, up to 625	-	-	-	-	
	Point Source Only Direct/Indirect: Batwing optic and dust cover options.	-	Narrow Flood	-	-	-	-	Runs in 1' increments	-	
	Asymmetric Lens Direct		Flood 1	250 ^{††} 350 450	-	-	-	Runs in 1" increments	L, U, Rectangle, Custom	
	Flush/Batwing Direct/Indirect		Flood 2 Wide Flood	125 ² 250 375 500 625 750 ¹ 800 ¹ 875 ¹ 1000 ¹ 1125 ³ 1250 ³	Narrow Flood Flood 1 Flood 2	2700 ^{**} 3000 3500 4000	>80 >90	(Runs in 1' increments with Point Source options)		
	Fully Louvered Direct/Indirect: Batwing optic, dust cover and asymmetric optic options	-	-	-	Wide Flood Louvered Mixing Chamber	-	-	Runs in 6" increments		
	0.5" Pop-Down Lens Direct		-	-	-	-	-	Runs in 1" increments	-	

Quartet Recessed/ Surface/Pendant		SPECIALITY OPTIONS MAY NOT BE COMBINED				COLOR			LENGTHS	
		SHEILDING	DISTRIBUTION	POINT SOURCE ⁴	LOUVER	TOTAL LUMEN RANGE	TEMP (K)	CRI		
			DISTRIBUTIONS	LUMENS						
	Lit End Caps Direct: Flush Lens only		-	-	-	-	-	-	-	
	Point Source Direct/Indirect: Batwing optic and dust cover options.		Narrow Flood Flood 1	250 350 450	-	-	-	-	4' Direct Lens - 1000-5000 4' Direct/Indirect Lens - 3000-15000	4' Diameter (2' arms)
	Flush/Batwing Direct/Indirect		Flood 2 Wide Flood	-	-	-	-	-	6' Direct Lens - 1500-7500 6' Direct/Indirect Lens - 4500-22500	
	Fully Louvered Direct/Indirect: Batwing optic, dust cover optic options.	-	-	-	Narrow Flood Flood 1 Flood 2 Wide Flood Mixing Chamber	-	-	-	4' Direct Louver - 2000-8000 4' Direct/Indirect Louver - 4000-18000 6' Direct Louver - 3000-12000 6' Direct/Indirect Louver - 6000-27000	



*Wall mount not available with Batwing, Point Source or Louver options. **2700K available with Louver and Point Source versions only. ††Point Source Only distributions. ‡Indirect distributions only with lens and Point Source, Louver direct available. ^Direct distributions only. ^Louver options only. ^Not available with Louver options. ^Indirect distributions with lower options only. ^Point Source not available with Asymmetric Indirect, ^Drywall Hard Ceiling Only.

Seem® 1 Family



Lit End Caps



Recessed Point Source



Suspended Louver




Suspended

The broad Seem family, with nominal apertures from one to six inches, offers many options to unite a space with lines of light and create a contemporary aesthetic. Find out more at focalpointlights.com/seem.

Seem 1



Seem 2



Seem 4



Seem 6



Wall-to-Ceiling