AirCore Bridge[®]

AUABG

BEFORE YOU BEGIN


- Configurations are run specific, please consult factory drawings before beginning installation.
- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY


SEE ADDITIONAL INSTRUCTIONS

POWER OFF

) POWER ON




A brand of 📙 legrand®



SEEM 1 INSTALLATION



CEILING INSTALLATIONS: CEILING STRUT - PG 7 DRYWALL/HARD SURFACE - PG 8 GRID CEILING - PG 8








INDIVIDUAL INSTALLATIONS FOLLOW STEPS 1, 2 & 9





Follow Focal Point instructions for Universal Suspension System assembly. See IS0166























DRIVER SERVICE





AIRCORE BRIDGE TRUSS INSTALLATION







AIRCORE BRIDGE CANTILEVER/ CANTILEVER WAVE INSTALLATION













CEILING STRUT INSTALLATION









DRYWALL/HARD SURFACE CEILING INSTALLATION







GRID CEILING INSTALLATION

