Polina® Acoustic

TriCore® Acoustic Construction

UNLIT WALL MOUNT | AUPOLC-SHX-WM | AUPOLC-RND-WM

FOCAL POINT®

BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY

ATTENTION

SEE ADDITIONAL INSTRUCTIONS

POWER OFF

POWER ON

HANDLING & CLEANING


Always handle with clean white gloves (provided).

Use can of compressed air to remove dust and debris from shade.


Use lint roller to gently lift any remaining debris from shade.

COMPONENT KEY

ACOUSTIC SHADES - SOFT HEXAGON




27" Shade




42" Shade


ACOUSTIC SHADES - ROUND




25" Shade



39" Shade



J-box Mounting Bracket



Shade Mounting Bracket




Shade Mounting Bracket Screws (PN 72023)


©2026 Focal Point, LLC | 4141 S. Pulaski Rd., Chicago, IL 60632 | www.focalpointlights.com/reference


4" OCTAGONAL J-BOX REQUIRED

J-BOX BY OTHERS





J-BOX







ACOUSTIC SHADE









STANDARD BRACKET INSTALLATION ORIENTS THE POINTS TO THE SIDES




ROTATE BRACKET 30° TO ORIENT POINTS TO THE TOP AND BOTTOM



©2026 Focal Point, LLC | 4141 S. Pulaski Rd., Chicago, IL 60632 | www.focalpointlights.com/reference





©2026 Focal Point, LLC | 4141 S. Pulaski Rd., Chicago, IL 60632 | www.focalpointlights.com/reference