

Seem® 1 Acoustic Unlit

AirCore Technology™



AUSM1S-NH (No Hardware)

BEFORE YOU BEGIN

- Products must be installed by a qualified professional (check with local and national codes for proper installation).
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

MOUNTING HARDWARE PROVIDED BY OTHERS



#1 PHILLIPS DRIVER BIT
REQUIRED FOR INSTALLATION
OF JOINED RUNS

INDIVIDUAL UNITS **CANNOT BE JOINED** IN THE FIELD

SEEM 1 ACOUSTIC UNITS **CANNOT BE CUT TO LENGTH** IN THE FIELD

COMPONENT KEY

FOCAL POINT



MOUNTING HARDWARE BY OTHERS
I 1/4"-20 PEM NUT INSTALLED IN BLADE
 THREAD ENGAGEMENT REQUIREMENTS
MINIMUM DEPTH: 0.375"
MAXIMUM DEPTH: 1.86"


SHIPPED INSTALLED



SHIPPED IN HARDWARE BAG



MOUNTING LOCATIONS



↓ MOUNTING LOCATION



CONFIGURATIONS ARE RUN SPECIFIC, PLEASE CONSULT FACTORY DRAWINGS BEFORE BEGINNING INSTALLATION.

