

Seem® 1 Acoustic Trio





DIMENSIONAL DATA



FEATURES

Narrow, sound absorbing 1.5" aperture 'Y' shaped acoustic pendant.

Available in 4' and 6' diameters with 8", 12", and 16" nominal housing


Engineered to maximize sound absorption and to create a statement as a stand-alone pendant, in a cluster or as part of a system when paired with Seem 1 Acoustic.

 $\mbox{AirCore}^{\mbox{\tiny{TM}}}\!\!:\mbox{patent pending, eco-friendly technology that maximizes }$ sound absorption and reduces ecological impact.

Wide range of color options provides design flexibility and personalization for any project.


Available with The Naturals, a series of finishes that exude biophilic beauty.

ACOUSTIC PERFORMANCE



fixture: project:

MOUNTING DETAILS



SPECIFICATIONS

Acoustic Material

Content	Housing material is 100% polyester containing up to 50% of recycled plastic bottles (PET felt) and is moisture resistant.
	See page 3 for color offering. Acoustic material colors are subject to change without notice. For the most current color options, please visit focalpointlights.com/acousticsolutions. Lead times may vary depending on color.
Cleaning and Care	Remove dust and debris with a clean, soft, lint-free cloth or vacuum
PET Thickness	9mm
Surface Burning	ASTM E84 Class A / CAN ULC S102
Characteristcs	Flame Spread: 0
	Smoke Development Index: 300

Acoustic Performance

Acoustic testing is performed on all Focal Point acoustic products and varies based on installation and configuration. ASTM C423 test reports can be downloaded from focalpointlights.com. Contact acoustic.solutions@focalpointlights.com for technical questions.

Sabins	Sabins is a unit of sound absorption. It measures how well one square foot of material absorbs sound. Focal Point has averaged the Sabins per unit at four specific frequency bands representing the human speech range (250, 500, 1000, 2000 Hz) to determine the Sabins per product.
	Sabins/unit varies based on configuration: Geo Y Configuration = 12.24 Sabins Staggered Hex Configuration = 12.07 Sabins

Labels

Suitable for Dry Locations, indoor use only.

Weight

12" height, 4' diameter = 16.2lbs. 12" height, 6' diameter = 24.3lbs.

Canopy

Polyester powder coat applied over a multi-stage pre-treatment. Canopy white as standard.

Reliability

At Focal Point, our products are designed to stand the test of time. Each product is engineered using superior components, manufactured with the utmost care and rigorously tested.

Warranty

5-year limited warranty.

ORDERING Luminaire Series Seem 1 Acoustic Trio Unlit	AUSM1TP	AUSM1TE
Nominal Size 4' Diameter 6' Diameter Shielding Solid PET	4 6 SD	SD
Height (heights are nominal) 8" nominal 12" nominal 16" nominal	8 12 16	
Mounting (Mounting hang kits ship with order) 24" Cable Suspension 48" Cable Suspension 96" Cable Suspension 120" Cable Suspension (Specify canopy color White (WH), Black (BK) or Titanium Silver (TS). Example: 124WH.) (Consult factory for sloped ceiling applications)	J24 J48 J96 J120	
Acoustic Panel Color See page 3 for color offering (Consult factory for multi-colored untis)		

Acoustic Materials

LOK GRAY ELM



FOCAL POINT®

THE NATURALS (25% SCALE)










STANDARD PET

LIGHT OAK












HAZELWOOD **HZW**

PREMIUM PET











EMG LIMESTONE

LMS