


Sensor Layout Guide

Wattstopper Fixture Sensor Low Density – 1% Dimming (LMFS1)
Direct & Direct/Indirect, Single Circuit (1C)



Bringing It All To Light®



| Luminaire Length | Sensor QTY |
|------------------|------------|
| 3FT | 1 |
| 4FT | 1 |
| 5FT | 1 |
| 6FT | 1 |
| 7FT | 1 |
| 8FT | 1 |
| 9FT | 1 |
| 10FT | 1 |
| 11FT | 1 |
| 12FT | 1 |
| 13FT | 1 |
| 14FT | 1 |
| 15FT | 1 |
| 16FT | 1 |
| 17FT | 2 |
| 18FT | 2 |
| 19FT | 2 |
| 20FT | 2 |
| 21FT | 2 |
| 22FT | 2 |
| 23FT | 2 |
| 24FT | 2 |
| 25FT | 2 |
| 26FT | 2 |
| 27FT | 2 |
| 28FT | 2 |
| 29FT | 2 |
| 30FT | 2 |
| 31FT | 2 |
| 32FT | 2 |
| 33FT | 3 |
| 34FT | 3 |
| 35FT | 3 |
| 36FT | 3 |
| 37FT | 3 |
| 38FT | 3 |
| 39FT | 3 |
| 40FT | 3 |
| 41FT | 3 |
| 42FT | 3 |
| 43FT | 3 |
| 44FT | 3 |
| 45FT | 3 |
| 46FT | 3 |
| 47FT | 3 |
| 48FT | 3 |

KEY
 Direct distribution control sensor



Bringing It All To Light®

Sensor Layout Guide

Wattstopper Fixture Sensor High Density - 1% Dimming (LMFSD)


Direct only, Single Circuit (1C)

Enlightened Smart Sensor - 1% Dimming (ENL1)

Direct & Direct/Indirect, Single Circuit (1C)

Wavelinx Pro - 1% Dimming (WLXP)


Direct & Direct/Indirect, Single Circuit (1C)



| Luminaire Length | Sensor QTY |
|------------------|------------|
| 3FT | 1 |
| 4FT | 1 |
| 5FT | 1 |
| 6FT | 1 |
| 7FT | 1 |
| 8FT | 1 |
| 9FT | 2 |
| 10FT | 2 |
| 11FT | 2 |
| 12FT | 2 |
| 13FT | 2 |
| 14FT | 2 |
| 15FT | 2 |
| 16FT | 2 |
| 17FT | 3 |
| 18FT | 3 |
| 19FT | 3 |
| 20FT | 3 |
| 21FT | 3 |
| 22FT | 3 |
| 23FT | 3 |
| 24FT | 3 |
| 25FT | 4 |
| 26FT | 4 |
| 27FT | 4 |
| 28FT | 4 |
| 29FT | 4 |
| 30FT | 4 |
| 31FT | 4 |
| 32FT | 4 |
| 33FT | 5 |
| 34FT | 5 |
| 35FT | 5 |
| 36FT | 5 |
| 37FT | 5 |
| 38FT | 5 |
| 39FT | 5 |
| 40FT | 5 |
| 41FT | 6 |
| 42FT | 6 |
| 43FT | 6 |
| 44FT | 6 |
| 45FT | 6 |
| 46FT | 6 |
| 47FT | 6 |
| 48FT | 6 |

KEY

- Direct distribution control sensor






FOCAL POINT®
Bringing It All To Light®

Sensor Layout Guide

Wattstopper Fixture Sensor Low Density – 1% Dimming (LMFS1)

Direct/Indirect, Dual Circuit (2C)



| KEY | |
|-------------------------------------|--------------------------------------|
| ■ | Direct distribution control sensor |
| ■ | Indirect distribution control sensor |

| Luminaire Length | Sensor QTY |
|------------------|------------|
| 3FT | 2 |
| 4FT | 2 |
| 5FT | 2 |
| 6FT | 2 |
| 7FT | 2 |
| 8FT | 2 |
| 9FT | 2 |
| 10FT | 2 |
| 11FT | 2 |
| 12FT | 2 |
| 13FT | 2 |
| 14FT | 2 |
| 15FT | 2 |
| 16FT | 2 |
| 17FT | 2 |
| 18FT | 2 |
| 19FT | 2 |
| 20FT | 2 |
| 21FT | 2 |
| 22FT | 2 |
| 23FT | 2 |
| 24FT | 2 |
| 25FT | 2 |
| 26FT | 2 |
| 27FT | 2 |
| 28FT | 2 |
| 29FT | 2 |
| 30FT | 2 |
| 31FT | 2 |
| 32FT | 2 |
| 33FT | 4 |
| 34FT | 4 |
| 35FT | 4 |
| 36FT | 4 |
| 37FT | 4 |
| 38FT | 4 |
| 39FT | 4 |
| 40FT | 4 |
| 41FT | 4 |
| 42FT | 4 |
| 43FT | 4 |
| 44FT | 4 |
| 45FT | 4 |
| 46FT | 4 |
| 47FT | 4 |
| 48FT | 4 |



Bringing It All To Light®

Sensor Layout Guide

Wattstopper Fixture Sensor High Density - 1% Dimming (LMFSD)


Direct/Indirect, Single or Dual Circuit (1C/2C)

Enlightened Smart Sensor - 1% Dimming (ENL1)

Direct/Indirect, Dual Circuit (2C)

WaveLinx Pro - 1% Dimming (WLPX)

Direct/Indirect, Dual Circuit (2C)



KEY

- Direct distribution control sensor
- Indirect distribution control sensor

| Luminaire Length | Sensor QTY |
|------------------|------------|
| 3FT | 2 |
| 4FT | 2 |
| 5FT | 2 |
| 6FT | 2 |
| 7FT | 2 |
| 8FT | 2 |
| 9FT | 4 |
| 10FT | 4 |
| 11FT | 4 |
| 12FT | 4 |
| 13FT | 4 |
| 14FT | 4 |
| 15FT | 4 |
| 16FT | 4 |
| 17FT | 6 |
| 18FT | 6 |
| 19FT | 6 |
| 20FT | 6 |
| 21FT | 6 |
| 22FT | 6 |
| 23FT | 6 |
| 24FT | 6 |
| 25FT | 8 |
| 26FT | 8 |
| 27FT | 8 |
| 28FT | 8 |
| 29FT | 8 |
| 30FT | 8 |
| 31FT | 8 |
| 32FT | 8 |
| 33FT | 10 |
| 34FT | 10 |
| 35FT | 10 |
| 36FT | 10 |
| 37FT | 10 |
| 38FT | 10 |
| 39FT | 10 |
| 40FT | 10 |
| 41FT | 12 |
| 42FT | 12 |
| 43FT | 12 |
| 44FT | 12 |
| 45FT | 12 |
| 46FT | 12 |
| 47FT | 12 |
| 48FT | 12 |