


ENERGY STAR is a strict energy efficiency certification program set forth by the U.S. Environmental Protection Agency (EPA). Luminaires that meet the stringent criteria use less energy and reduce greenhouse gas emissions, resulting in the mitigation of climate change. In addition, ENERGY STAR products reduce utility costs with many state and local governments and energy utilities offering partner credits or rebate programs for use of the energy efficient products.

Our ENERGY STAR certified luminaires have been evaluated for compliance with more than 20 industry standards to ensure savings without compromising on light output, color quality or visual comfort.









#### ID+ 3.5" DOWNLIGHT (FLC3D)

	 - /		

Trim Type	Overlap and Trimless
Energy Star Lumen Output*	700–2100
Color Temperature & CRI	2700K-4000K (80 & 90 CRI)
Quickship	5-day



## ID+ 3.5" WALL WASH (FLC3W)

Overlap and Trimless	
700–2100	
2700K-4000K (80 & 90 CRI)	
5-day	



## **ID+ 3.5" x 3.5" DOWNLIGHT** (FLC33D)

Trim Type	Overlap and Trimless
Energy Star Lumen Output*	700–2100
Color Temperature & CRI	2700K-4000K (80 & 90 CRI)
Quickship	5-day

## ID+ 3.5" x 3.5" WALL WASH (FLC33W) Overlap and Trimless

700–1500 3500K–4000K (80 CRI) 5-day



# ID+ 3.5" ADJUSTABLE ACCENT (FLCS3)

Overlap and Trimless 700–1300 2700K–4000K (80 CRI) 10-day, Overlap trim only



## ID+ 3.5" x 3.5" ADJUSTABLE ACCENT (FLCS33)

Overlap and Trimless 700–1100 2700K–4000K (80 CRI)

10-day, Overlap trim only



## ID+ 4.5" DOWNLIGHT (FLC4D)

Trim Type	Overlap and Trimless
Energy Star Lumen Output*	1000–3000
Color Temperature & CRI	2700K-4000K (80 CRI & 90 CRI)
Quickship	5-day



## ID+ 4.5" ADJUSTABLE ACCENT (FLCS4)

Overlap and Flush 1000–2500 2700K–4000K (80 CRI)



# ID+ 6" DOWNLIGHT (FLC6D)

Overlap and Flush

1000–3000

3000K-4000K (80 CRI)



## **ID+ 4.5" x 4.5" DOWNLIGHT** (FLC44D)

	( )
Trim Type	Overlap and Trimless
Energy Star Lumen Output*	1000–3000
Color Temperature & CRI	2700K-4000K (80 CRI & 90 CRI)
Quickship	5-day



# ID+ 4.5" x 4.5" ADJUSTABLE ACCENT (FLCS44)

Overlap and Flush 1000–2500 2700K–4000K (80 CRI)



# **ID+ 6" x 6" DOWNLIGHT** (FL66D)

Overlap and Flush 1000–3000 3000K–4000K (80 CRI)

\*All options use 0-10V drivers. Not all lumen options qualify, please visit www.focalpointlights.com/energystar for a complete list of qualifying products.

Focal Point LLC | 4141 S. Pulaski Rd, Chicago, IL 60632 | 773.247.9494 | focalpointlights.com