FLC2D | FLC2W





### **BEFORE YOU BEGIN**

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

#### **INSTRUCTION KEY**



**ATTENTION** 



**SEE ADDITIONAL INSTRUCTIONS** 



**POWER OFF** 



**POWER ON** 




LUMINAIRE MUST BE INSTALLED PRIOR TO DRYWALL CEILING. ALL GRID LUMINAIRES MUST BE SECURED TO STRUCTURE ABOVE.

#### **COMPONENT KEY**

#### **NON-EMERGENCY**

THERMALLY PROTECTED, NON-IC





**OPTIONAL** 

BAR HANGERS SOLD SEPARATELY




IC/CP








#### KEEP SHADED AREA FREE FROM OBSTRUCTION ABOVE CEILING

DNS - SHORT CONE DSS - SUPER SHORT CONE













## **WOOD STUDS**







# **METAL STUDS**











## **MUD-IN**






























## **WOOD CEILING**





























## **DRIVER SERVICE**

