id+3.5" square trimless housing


FLC33D | FLC33W



LUMINAIRE MUST BE INSTALLED PRIOR TO DRYWALL CEILING.















POWER ON




ATTENTION


■**三**■ LEVEL







SEE ADDITIONAL









KEEP SHADED AREA FREE FROM OBSTRUCTION ABOVE CEILING








Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation). To prevent electrical shock, disconnect electrical supply before installation or servicing.


SHORT CONE DNS


WOOD STUDS

3a x4 3b x4

METAL STUDS











MAKE ELECTRICAL CONNECTIONS


MUD-IN

















Fixtures must be installed by a qualified electrician (check with local and national codes for proper installation).

To prevent electrical shock, disconnect electrical supply before installation or servicing.














WOOD CEILING















Fixtures must be installed by a qualified electrician (check with local and national codes for proper installation).


To prevent electrical shock, disconnect electrical supply before installation or servicing.
















DRIVER SERVICE





Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight. Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings. The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.