

A brand of **legrand**



FOCAL POINT®

Bringing It All To Light®

ID+ 2.5" Pure Cylinder

Companions to the ID+ 2.5" Downlights

ID+ 2.5" PURE CYLINDERS

SLENDER. COMFORTABLE. SPECIFIABLE.

This powerful cylinder with a sleek body and small aperture is a highly specifiable lighting tool for a variety of interiors, ceiling types, and heights. It offers three nominal lengths of 5", 8" and 12" with surface, cord, swivel and fixed field-cuttable stem mounting. It uses the same powerful optics as the ID+ 2.5" Downlights family for a cohesive light quality and common design language. A variety of cutoffs, beam spreads, and reflector finishes, along with Warm Dim make it suitable for demanding lighting applications. Plus, field-changeable reflectors and optics provide the ultimate flexibility at the time of installation or when spaces are reconfigured.

LUMEN OUTPUTS & BEAM SPREADS

A broad range of beam spreads and lumen outputs meet the needs of diverse applications and allow designing with layers of light, from ambient to focused illumination and wall washing, at a variety of ceiling heights.

Optic / Distribution	Narrow Flood	Flood 1	Flood 2	Downlight				Hex Louver		Wall Wash
	(Icon)	(Icon)	(Icon)	Wide Flood 1 (Icon)	Wide Flood 2 (Icon)	Very Wide Flood (Icon)	Super Wide Flood (Icon)	Hex Louver Narrow Flood (Icon)	Hex Louver Flood 1 (Icon)	(Icon)
500	O	O	O	O	O	O	O	O	O	O
700	O	O	O	O	O	O	O	O	O	●
900	●	●	●	●	●	●	●	●	●	O
1100	O	O	O	O	O	O	O	O	O	O
1300	O	O	O	O	O	O	O	O	O	O
1500	O	O	O	O	O	O	O	O	O	O
1700	O	O	O	O	O	O	O	O	O	O
1900	O	O	O	O	O	O	O	O	O	O

O Standard White

● Standard White & Warm Dim

Consult Cut Sheet for details

A broad range of beam spreads and lumen outputs meet the needs of diverse applications and allow designing with layers of light, from ambient to focused illumination and wall washing, at a variety of ceiling heights.

Optic / Distribution	Downlight							Hex Louver		Wall Wash
	Narrow Flood	Flood 1	Flood 2	Wide Flood 1	Wide Flood 2	Very Wide Flood	Super Wide Flood	Hex Louver Narrow Flood	Hex Louver Flood 1	Wall Wash
500	○	○	○	○	○	○	○	○	○	○
700	○	○	○	○	○	○	○	○	○	●
900	●	●	●	●	●	●	●	●	●	○
1100	○	○	○	○	○	○	○	○	○	○
1300	○	○	○	○	○	○	○	○	○	○
1500	○	○	○	○	○	○	○	○	○	○
1700	○	○	○	○	○	○	○	○	○	○
1900	○	○	○	○	○	○	○	○	○	○


○ Standard White ● Standard White & Warm Dim

Consult Cut Sheet for details



Housing

A sleek, solid housing available in three standard heights -- nominal 5", 8" and 12", make the ID+ 2.5" Pure Cylinder adaptable to a variety of interiors and ceiling configurations.



Exterior Finishes

Three standard finishes plus The Naturals Collection can be specified to create a uniform aesthetic or enhance the space with nature-inspired finishes.



Reflector Cones

60° or 75° cut-off cone with a Solite lens promotes visual comfort and a glare-free light source. An optional honeycomb shaped louver further reduces glare with a UGR < 5 rating.



Die-Cast Reflector with Slim Edge

Solid body provides a sleek appearance and aesthetic that disappears in a space.

Reflector Finishes

Promote the right ambiance and a cohesive light quality when used with the ID+ 2.5" Downlights within a space.



Downlight and Wall Wash

A toolless aimable wall wash complements the various beam spreads offered for the downlight.



ID+ 2.5" Pure Cylinder

Canopy Options

Shallow and power canopies, as well as decorative and decorative power canopies designed to conceal junction boxes, make installation easy and provide a uniform look in a variety of ceiling conditions.


Standard Canopies

Not intended to completely cover J-box



Decorative Canopies

Designed as J-box covers




Mounting Options

With the option of cord, fixed or swivel stem, or surface mounting, the cylinders adapt to shallow, sloped, or high ceilings and ambient or focused applications.

Field Cuttable

Cord, fixed and swivel stem options are all field-cuttable for flexibility and convenience to installers and contractors.



Surface Mount

Ideal for low-ceiling applications or when an unobtrusive look is desired.



Canopy and Stem Finishes

Matching cord, stem, and canopy finishes are available. Optional coordination of the cylinder and canopy with The Naturals collection finishes.





ID+ 2.5" Pure Cylinder

Field Changeable Optic Options

Cut-offs of 60° or 75° for the downlight and an aimable wall wash offer the right balance between cylinder height and visual comfort. Deep cut-offs minimize glare and brightness, while a Solite lens or hex louver hides the light sources while enabling a broad range of beam spreads. The cylinder adapts to in-field conditions with changeable reflectors and optics. Change between any of the downlight optics and the wall wash post-installation with a simple kit, orderable from the cut sheets.


Optic Options	Downlight							Hex Louver		Wall Wash
	Narrow Flood	Flood 1	Flood 2	Wide Flood 1	Wide Flood 2	Very Wide Flood	Super Wide Flood	Hex Louver Narrow Flood	Hex Louver Flood 1	Wall Wash
DNS 60°										
DSS 75°										

Color Temperature Options

Static white and two warm dim options are available for ID+ 2.5" Pure Cylinder and Wall Wash.



The 3000K to 1800K and 2700K to 1800K ranges mimic the black body curves of halogen and incandescent light sources, respectively.



ID+ DOWNLIGHTS & CYLINDERS

Set the mood with ambient illumination, highlight areas for task lighting, or showcase architectural elements with ID+ Downlights and Cylinders. The complete family delivers design flexibility with identical light sources, multiple lumen outputs, beam spread options, and a variety of trim and reflector finishes. Bring it all together in mixed ceiling applications with downlights and cylinders that deliver consistent light quality.

2.5" & 2"



Downlight




Wall Wash



Adjustable



Cylinder
Downlight
& Wall Wash



Pure Cylinder Downlight &
Wall Wash

3.5"



Downlight



Wall Wash



Adjustable



Cylinder
Downlight



Pure Cylinder Downlight &
Wall Wash

4.5"



Downlight



Wall Wash



Adjustable



Cylinder
Downlight