

ID+ 2.5" Pure Cylinder - Cord Suspension

FLCY2N - Power Canopy



FOCAL POINT®



BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS




POWER OFF




POWER ON

COMPONENT KEY


ID+ CYLINDER



POWER CANOPY




DECORATIVE POWER CANOPY



4" OCTAGONAL J-BOX REQUIRED

J-BOX BY OTHERS









EMERGENCY














PRIOR TO LUMINAIRE INSTALLATION, SEE **PAGE 4** FOR EMERGENCY INSTALLATION INSTRUCTIONS.

DECORATIVE POWER CANOPY






POWER CANOPY









POWER CANOPY DRIVER SERVICE



WALL WASH AIMING




OPTIC SERVICE




DISTRIBUTION KITS INCLUDE AN
OPTIC AND REFLECTOR ASSEMBLY.


BOTH ITEMS MUST BE USED
TO ACHIEVE SPECIFIED
DISTRIBUTION.




1




2



3



4



EMERGENCY




SEE BATTERY MANUFACTURER
INSTRUCTIONS

EMERGENCY MAXIMUM MOUNTING HEIGHT:
CD & WH REFLECTORS - 16.73'
WD & BK REFLECTORS - 14.96'


1

HARDWARE
BY OTHERS




SECURE TO STRUCTURE ABOVE

2




MAKE ELECTRICAL CONNECTION

3



4



PROCEED TO
LUMINAIRE INSTALLATION