

ID+ 2.5" Pure Cylinder - Cord Suspension

FLCY2N - Shallow Canopy



FOCAL POINT®



BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS




POWER OFF




POWER ON

COMPONENT KEY


ID+ CYLINDER



SHALLOW CANOPY




J-BOX
MOUNTING BRACKET



SHALLOW CANOPY

DECORATIVE SHALLOW CANOPY



DECORATIVE
J-BOX COVER



J-BOX
MOUNTING BRACKET




MOUNTING SCREWS
#72023



SHALLOW CANOPY

4" OCTAGONAL J-BOX REQUIRED

J-BOX BY OTHERS




EMERGENCY













PRIOR TO LUMINAIRE INSTALLATION,
SEE **PAGE 5** FOR EMERGENCY
INSTALLATION INSTRUCTIONS.

SHALLOW CANOPY








DECORATIVE SHALLOW CANOPY









DRIVER SERVICE





WALL WASH AIMING








OPTIC SERVICE



DISTRIBUTION KITS INCLUDE AN OPTIC AND REFLECTOR ASSEMBLY.

BOTH ITEMS MUST BE USED TO ACHIEVE SPECIFIED DISTRIBUTION.



EMERGENCY



SEE BATTERY MANUFACTURER
INSTRUCTIONS


EMERGENCY MAXIMUM MOUNTING HEIGHT:

CD & WH REFLECTORS - 16.73'

WD & BK REFLECTORS - 14.96'


1

HARDWARE
BY OTHERS




SECURE TO STRUCTURE ABOVE

2




MAKE ELECTRICAL CONNECTION

3



4



PROCEED TO
LUMINAIRE INSTALLATION