# ID<sup>+</sup> 3.5" Pure Cylinder - Cord Suspension

FLCY3N-RD-7H - Shallow Canopy



FOCAL POINT®



### **BEFORE YOU BEGIN**

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

### **INSTRUCTION KEY**



**ATTENTION** 



SEE ADDITIONAL INSTRUCTIONS




**POWER OFF** 



POWER ON

### **COMPONENT KEY**

### **ID+ CYLINDER**



### **SHALLOW CANOPY**



J-BOX MOUNTING BRACKET



SHALLOW CANOPY

#### **DECORATIVE SHALLOW CANOPY**



DECORATIVE J-BOX COVER



J-BOX MOUNTING BRACKET



MOUNTING SCREWS #72023



SHALLOW CANOPY


# J-BOX BY OTHERS 3.55" 90.2mm 90.2mm 1,56" 2,50,nth 4,50,thh


### **EMERGENCY**





PRIOR TO LUMINAIRE INSTALLATION, SEE **PAGE 5** FOR EMERGENCY INSTALLATION INSTRUCTIONS.


### **SHALLOW CANOPY**




























### **DECORATIVE SHALLOW CANOPY**

































# **DRIVER SERVICE**





**TURN OFF POWER SOURCE** PRIOR TO DRIVER SERVICE








# **OPTIC SERVICE**





























# **EMERGENCY**



SEE BATTERY MANUFACTURER INSTRUCTIONS

EMERGENCY MAXIMUM MOUNTING HEIGHT:

CD & WH REFLECTORS - 17.1'

WD & BK REFLECTORS - 15.1'

