

# ID+ 3.5" Pure Cylinder - Stem Mount

FLCY3N-RD-7H - Shallow Canopy



FOCAL POINT®

## BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

## INSTRUCTION KEY


- ATTENTION**
- SEE ADDITIONAL INSTRUCTIONS**
- POWER OFF**
- POWER ON**

## COMPONENT KEY

### SHALLOW CANOPY


#### SWIVEL STEM MOUNT

Shipped Assembled



#### FIXED STEM MOUNT


Shipped Assembled



### DECORATIVE SHALLOW CANOPY

#### SWIVEL STEM MOUNT

Shipped Assembled





DECORATIVE J-BOX COVER



MOUNTING SCREWS #72029

#### FIXED STEM MOUNT

Shipped Assembled




DECORATIVE J-BOX COVER



MOUNTING SCREWS #72023

## 4" OCTAGONAL J-BOX REQUIRED

J-BOX BY OTHERS




## EMERGENCY



PRIOR TO LUMINAIRE INSTALLATION, SEE **PAGE 6** FOR EMERGENCY INSTALLATION INSTRUCTIONS.







## SWIVEL STEM








**MAXIMUM CEILING SLOPE: 30°**

# SHALLOW CANOPY






## FIXED STEM








## SWIVEL STEM








## DECORATIVE SHALLOW CANOPY





## FIXED STEM






## SWIVEL STEM













## DRIVER SERVICE





## WALL WASH AIMING



# OPTIC SERVICE









**EMERGENCY**

**I**

SEE BATTERY MANUFACTURER INSTRUCTIONS

**EMERGENCY MAXIMUM MOUNTING HEIGHT:**  
**CD & WH REFLECTORS - 17.1'**  
**WD & BK REFLECTORS - 15.1'**



**I**

PROCEED TO LUMINAIRE INSTALLATION