

# Nera™ linear open ceiling




FNRS-0C



FOCAL POINT®

**! DO NOT POWER LUMINAIRE UNTIL INSTALLATION IS COMPLETE. SUSPENSION CABLES ARE POWERED. DO NOT ALLOW CABLES TO COME IN CONTACT WITH CONDUCTIVE MATERIALS. !**

**! CONFIGURATIONS ARE RUN SPECIFIC, PLEASE CONSULT FACTORY DRAWINGS BEFORE BEGINNING INSTALLATION. !**



KEY

- POWER OFF
- POWER ON
- ATTENTION
- SEE ADDITIONAL INSTRUCTIONS

**PARTS LISTS**

MOUNTING BRACKET ASSEMBLY

(17999)

(71025)


(71904)

(71024)

JOINER SCREW (70005)

CLEAR CABLE SLEEVE (OPTIONAL) (700124)

## RUN FEED LOCATIONS





Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation). To prevent electrical shock, disconnect electrical supply before installation or servicing.

## OPEN CEILING INSTALLATION




DO NOT TRIM EXCESS  
SUSPENSION CABLE UNTIL  
LUMINAIRE IS FULLY ADJUSTED.

CABLES ARE NOT FIELD REPLACABLE.




## SURFACE MOUNT




SECURE NON-FEED AND FEED LOCATION BOXES TO STRUCTURE ABOVE. MOUNTING HARDWARE BY OTHERS













## ACCESSIBLE CEILING












SECURE NON-FEED AND FEED LOCATION BOXES AND MOUNTING BRACKETS TO STRUCTURE ABOVE. MOUNTING HARDWARE BY OTHERS





Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.





**EMERGENCY - SURFACE MOUNT**




Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.

## EMERGENCY - ACCESSIBLE CEILING

1



2




3



EMERGENCY MAXIMUM MOUNTING HEIGHT:  
15.00'

## DRIVER SERVICE

1



Contractor is responsible for adequately reinforcing walls and/or ceilings to support luminaire weight. Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings. The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.