

SkydomeEdge® Simplicity in shape. Versatility in style.



A soft indirect glow elevates interior spaces, surface mount only.

SkydomeEdge[®]

SkydomeEdge, is the new, edgy member of the Skydome® family. Its simple form, with a low-profile housing and sharp knife edge, evolves the classic look. Edge lighting technology provides high lumen outputs while procuring even and comfortable illumination. Sound-absorbing companions promote acoustic comfort, helping enhance the architecture and ambiance of interior spaces with a coordinated look.

Design Flexibility

- Three standard color options or customize with any RAL color.
- Nominal 2', 3' or 4' diameters in pendant or surface mount.



- Optional soft glow on surface mount, independently controlled direct and indirect illumination on pendant.
- 80 or 90 CRI.

Distribution & Performance

Create the ideal light level with complete control and achieve superior performance with various lumen outputs.

• 2' direct: 2000 – 5000 lumens

• 3' direct: 4000 – 9000 lumens

• 4' direct: 7000 – 14000 lumens

• Indirect: 500 – 2500 lumens







Direct/Indirect



Surface Mount

Pendant

SkydomeEdge® Acoustic

Sound-absorbing companion helps achieve the desired reverberation levels, enhancing the comfort and visual interest of open spaces.

Visit Focalpointlights.com/AcousticSolutions for more information.

Acoustic information

- Per unit Noise Reduction Coefficient (NRC) of 1.05.
 System NRC will vary based on configuration.
 Refer to ASTM C423 test reports for more information.
- Environmentally-friendly and recyclable.
- Made of 100% polyester containing up to 50% recycled plastic bottles (PET).
- ASTM E-85 Class A fire rating and moisture resistant.

Standard Colors Premium Colors CORNFLOWER BLUE DENIM BLUE MIDNIGHT BLUE DEEP PURPLE SLATE SHADOW GRAY DEEP WATER SEAFOAM EMERALD GREEN BLUSH BRICK RED CHERRY RED BERRY LIMESTONE

PINEAPPLE

CARROT

Final Assembly Chicago, Brook, USA
Life Expectancy, 30 Varia'),
End of Life Options Surveyandiny-Respective in its Extremy,
Recyclidate (100%)
Ingredients:
Polysthylene terepolitulates: PET N, N*-Ethylene
bissax-amide: Octobissationamide, NN-12-arbaneolytisSteads Acids Steads Andookslant 1076;
Steads Acids Steads Andookslant 1076;
Tatestam Disoide: Tatestam Goulde
LiAring Building Challenge Criteria:
L

Declare.

NATURAL LINEN

CLASSIC WHITE

HAZELWOOD





FOCAL POINT®

Bringing It All To Light®









