

# Seem™ 1 mud-in drywall


FSM1 -XF

PL Preferred Light  
Experience BETTER COLOR


FOCAL POINT™



**! CONFIGURATIONS ARE RUN SPECIFIC, PLEASE CONSULT FACTORY DRAWINGS BEFORE BEGINNING INSTALLATION. !**

## FOCAL POINT




## PARTS LISTS



INCLUDED HARDWARE
 REFLECTOR SCREW (72026) (8-18 x 1/4 SELF TAPPING SCREW)

SHIPPED INSTALLED
 TIE-WIRE BRACKET SCREW (72010) (8-18 x 1/4 SELF TAPPING SCREW)
 TIE WIRE BRACKET (A38635-01)


## MUD FLANGE



## KEY



## CEILING INSTALLATION (SEE PAGE 3 FOR WALL INSTALLATION)




## PRODUCT ID LOCATION









1






**2"x6" FRAMING  
REQUIRED ON BOTH  
SIDES OF OF HOUSING**



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.




INDIVIDUAL INSTALLATIONS SKIP TO STEP 12



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.

13



STAGGER SCREWS AT LEAST 4" APART


14




DO NOT DRIVE SCREWS AT AN ANGLE



15




TAPE AND MUD



DRYWALL

MUD

16




## WALL INSTALLATION

1



2"x6" FRAMING  
REQUIRED ON BOTH SIDES  
OF OF HOUSING

CONSULT FACTORY WHEN  
SPECIFYING FLOOR TO  
CEILING CONFIGURATION



2.0"


1.67"

2.94"

3.87"


2

INDIVIDUAL AND  
FEED LOCATION ONLY




⚠️ AVOID ALL CONTACT WITH LED SURFACE,  
LEDs ARE EASILY DAMAGED!

3




INDIVIDUAL AND  
FEED LOCATION ONLY

4











MAKE ELECTRICAL CONNECTIONS

5



INDIVIDUAL  
AND FEED  
LOCATION ONLY

Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).  
To prevent electrical shock, disconnect electrical supply before installation or servicing.

## DRIVER SERVICE

