Seem 2 LED Direct/Indirect

Wall Mount | FSM2BW







BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC.
 Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS



POWER OFF





POWER ON


COMPONENT KEY **FOCAL POINT** SHIPPED INSTALLED Reflector U - Individual Screw (72026) (6-32 x 1/4 SELF TAP-Joiner Bracket PING SCREW) Assembly (A48094-01) S - Start of Run SHIPPED IN HARDWARE BAG - Intermediate Extra Joiner Bracket Joiner Blocker Assembly Screw Screw (700348) (6-32 x 5/16 SELF (700309)TAPPING SCREW) E - End of Run Joiner Blocker 0.5" Pop-Up Lens (A48495-01-WH) MOUNTING RAIL Flush Lens Individual 0.5" Pop-Down Lens 1.5" Pop-Down Lens (individual housings only up to 8') Intermediate (End of Run) 0.5" Pop-Up **Dust Cover** 0.5" Pop-Up **Dust Cover Dust Cover** Flush Lens Down Flush Lens Down 0.5" Pop-Down 0.5" Pop-Down


1.5" Pop-Down


▲ INDIVIDUAL UNIT INSTALLATION FOLLOW STEPS 1-7, 11, 13 & 14








































DRIVER SERVICE

