

Seem™ 2 Wet Location

Surface Mount | FSM2LWLS



FOCAL POINT®



BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS




POWER OFF



POWER ON

COMPONENT KEY

FOCAL POINT




SHIPPED IN HARDWARE BAG




Reflector (72010)
8-18 x 1/4
Self Tapping Screw


SHIPPED INSTALLED



Joiner Bracket
(A15355-01)
(72010)



Joiner Bracket Assembly
(A11624-01)
(72010)















Lens End Piece
(A14097)

MOUNTING



Feed location is always centered in housing, with the exception of the 2' housing. Use single device cover or single gang handy box and mounting hardware (by others)

INDIVIDUAL UNITS




JOINED UNITS




CONFIGURATIONS ARE RUN SPECIFIC, PLEASE CONSULT FACTORY DRAWINGS BEFORE BEGINNING INSTALLATION.

1




! Avoid all contact with LED surface, LEDs are easily damaged!

2




3




**Secure Housing To Structure Above
(Hardware By Others)**

4




**Secure Reflectors To Housing
(6 Screws Per Reflector)**

5




6




MAKE ELECTRICAL CONNECTION

7



! Avoid all contact with LED surface, LEDs are easily damaged!


8




**Water Shield Lens Installs
Shiny Side Towards Led**







I 2', 3', 4' Lengths: 1 Water Shield Lens
5', 6', 7', 8' Lengths: 2 Water Shield Lenses

9






10





DRIVER SERVICE



EMERGENCY

I

SEE BATTERY MANUFACTURER INSTRUCTIONS
Emergency Maximum Mounting Height: 17.9'