

focus™ wall wash


FWSL



FOCAL POINT™

⚠ MUST BE INSTALLED PRIOR TO DRYWALL /HARD CEILING ⚠
READ ALL INSTALLATION INSTRUCTIONS BEFORE BEGINNING INSTALLATION

FOCAL POINT PARTS



KEY








PARTS LIST

1 HOUSING	12 HARDWARE BAG
2 SPLAY	SLIDING SLEEVE LOCK & SPLAY, ENDCAPS, J-BOX SCREW (72010)
3 LIGHT MODULE	(8-18 SCREW)
4 J-RAIL	JOINER SCREW (72066)
5 END CAP	(10-32 SCREW)
6 FLANGED END CAP (FACTORY OPTION)	JOINER TO SPLAY SCREW (72023)
7 SLIDING SLEEVE & SPLAY	(6-32 1/4 SCREW)
8 INSIDE CORNER (FACTORY OPTION)	HOUSING JOINER SCREW (700168)
9 OUTSIDE CORNER (FACTORY OPTION)	(SCR,10-32X1 PHL PAN MS FST SCREW)
10 J-BOX	HOUSING JOINER NUT (72068)
11 JOINER BRACKET	(NUT KEPS 10-32)


FEED LOCATIONS

↓ INDICATES FEED LOCATION



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
 To prevent electrical shock, disconnect electrical supply before installation or servicing.

WALL/CEILING PREP




BASIC INSTALLATION STEPS 1-11

SLIDING SLEEVES SEE PG 3
LED MODULES SEE PG 4
CORNERS SEE PG 5
EMERGENCY CIRCUIT SEE PG 6




FOCAL POINT RECOMMENDS
STARTING WITH INSIDE CORNER
INSTALLATION IF APPLICABLE

1




MOUNT J-RAIL TO WALL
(HARDWARE BY OTHERS)


2




3




4




5







6






7














Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.



SLIDING SLEEVES




Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.


LED MODULE

1




MAKE ELECTRICAL CONNECTION

2




3




MODULE LATCH ENGAGES WITH EXTRUSION

4




CONNECT THRU-WIRE FOR RUNS

5



POSITION LED MODULES 2" MAX FROM ONE ANOTHER AND 3" MAX FROM WALL

6




SECURE LED MODULES
TO HOUSING USING
#6-20 SELF-DRILLING
PAN HEAD SCREWS


Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.

CORNERS

INSIDE CORNER:




OUTSIDE CORNER:




INSIDE CORNER


1 START WITH INSIDE CORNER INSTALLATION




INSIDE CORNER




INSIDE CORNER




OUTSIDE CORNER




OUTSIDE CORNER






OUTSIDE CORNER




OUTSIDE CORNER



EMERGENCY CIRCUIT



Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
To prevent electrical shock, disconnect electrical supply before installation or servicing.



4

MAKE ELECTRICAL CONNECTION


EMERGENCY



SEE BATTERY MANUFACTURER
INSTRUCTIONS


EMERGENCY MAXIMUM MOUNTING HEIGHT:
12.00'

DRIVER SERVICE




1


RELEASE LED MODULE LATCH ON BOTH SIDES




2




3



4a



4b



5

Contractor is responsible for adequately reinforcing walls and/or ceilings to support luminaire weight. Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings. The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.