


Tephur





PERFORMANCE without compromise



LUMEN OUTPUT	1'x4'		2'x2'	
	WATTS	LPW	WATTS	LPW
1000	11	94	9	111
1500	15	100	13	116
2000	20	105	18	113
2500	25	102	23	109
3000	30	100	27	111
3500	37	97	33	107
4000	44	93	39	104
4500	40	112	38	120
5000	46	109	43	117
5500	51	108	48	115
6000	58	106	_	_
6500	61	106	_	_
7000	67	104	_	_
7500	73	104	_	_
DISTRIBUTION CURVE				

LENS TECHNOLOGY

Zephyr's lens element features an optical microstructure providing glare control and high levels of efficiency.







CLEAN LINES and construction







EASY ACCESS FROM BELOW

The one-piece hinging optical assembly allows for easy access to LEDs and driver.

1'x4'



347V Housing Height = 6.36"/161.5mm





FOCAL POINT®


Bringing It All To Light®















^{©2022} Focal Point, LLC. 4141 S. Pulaski Road, Chicago, IL 60632 T 773.247.9494 | focalpointlights.com. All rights reserved. "Focal Point",

21 x 21





[&]quot;Bringing It All To Light", "Zephyr", and the light-ray graphic are trademarks or registered trademarks of Focal Point, LLC.