

ID+ 2.5" Round Trimless Adjustable

FLCS2-RT



BEFORE YOU BEGIN

- Luminaires must be installed by a qualified electrician (check with local and national codes for proper installation).
- To prevent electrical shock, disconnect electrical supply before installation or servicing.
- Contractor is responsible for adequately reinforcing walls and/or ceilings to support fixture weight.
- Focal Point, LLC accepts no responsibility for inadequately reinforced walls and/or ceilings.
- The information contained in this drawing is the sole property of Focal Point, LLC. Any reproduction in part or whole without the written permission of Focal Point, LLC is prohibited.

INSTRUCTION KEY



ATTENTION



SEE ADDITIONAL INSTRUCTIONS



POWER OFF




POWER ON




LEVEL

COMPONENT KEY

HOUSING




T-Housing



IC & CP Housing

TRIM



Solite Lens




Spot Optic,
no lens
0° - 15° tilt




Spot Optic,
no lens
15° - 35° tilt

OPTIONAL BAR HANGERS SOLD SEPARATELY




1




CEILING CUTOUT





2 x2






3



WOOD STUDS













METAL STUDS







MAKE ELECTRICAL CONNECTION






MUD-IN






WOOD CEILING






ROTATE





USE ADJUSTMENT HANDLE TO ROTATE UP TO 362°


TILT



USE ADJUSTMENT HANDLE TO TILT UP TO 35°



TRIM INSTALLATION







OPTIC SERVICE





DISTRIBUTION KITS INCLUDE AN OPTIC AND REFLECTOR ASSEMBLY.

BOTH ITEMS MUST BE USED
TO ACHIEVE SPECIFIED
DISTRIBUTION.



DRIVER SERVICE



ROTATE ADJUSTMENT MODULE CLEAR OF CEILING OPENING. MODULE HELD IN PLACE MAGNETICALLY.

