












































Seem® 1 Family



Seem® 1 Family

A narrow, nominal 1.5" aperture LED luminaire that delivers design flexibility with a clean visual aesthetic, Seem 1 supports diverse applications with modern finishes, individual lengths, and continuous runs in a variety of mounting styles: recessed, suspended, surface mount, and wall mount. Several shielding, color temperature, and distribution options provide the perfect blend of high performance and visual comfort.

The broad family goes beyond illumination with an acoustic luminaire and baffle system that leverages the narrow aperture and advanced light engine of Seem 1 while mitigating reverberation issues to deliver more comfortable environments.

SPECIALITY OPTIONS MAY NOT BE COMBINED													
	SHIELDING	DISTRIBUTION	POINT SOURCE ⁴		LOUVER	LUMENS/ FT	COLOR		LENGTHS	PATTERNS			
			DISTRIBUTIONS	LUMENS			TEMP (K)	CRI					
<div>Grid</div> <div><div><div>RL</div><div>PL</div><div>PoE</div><div>QS</div></div></div>	<div></div>	Point Source Only	—		250 ^{††} 350 450	—	125 ² 250 375 500 625 750 [†] 875 [†] 1000 [†]	2700** 3000 3500 4000	>80 >90	Runs in 1' increments	—		
		Asymmetric Lens		 		—				Runs in 1" increments			
		Flush/Batwing		 		  				(Runs in 1' increments with Point Source options)			
		Fully Louvered	—	—	 	Runs in 6" increments							
	<div></div> <div></div>	0.5" Pop-Down Lens		—	—	Runs in 1" increments							
	<div>Drywall/Hard Ceiling</div> <div><div><div>RL</div><div>PL</div><div>PoE</div><div>QS</div></div></div>	<div></div>	Point Source Only	—		250 ^{††} 350 450	—	125 ² 250 375 500 625 750 [†] 875 [†] 1000 [†]	2700** 3000 3500 4000	>80 >90	Runs in 1' increments	—	
Asymmetric Lens				 	—		Runs in 1" increments						
Flush/Batwing				 	  		(Runs in 1' increments with Point Source options)						
Fully Louvered			—	—	 	Runs in 6" increments							
<div></div> <div></div>		0.5" Pop-Down Lens		—	—	Runs in 1" increments							
<div>Suspended/Surface/ Wall*</div> <div><div><div>RL</div><div>PL</div><div>PoE</div><div>QS</div></div></div>		<div></div>	Solid bottom Indirect only		—	—	—	250 375 500 625 800 1000 1250	2700 3000 3500 4000	>80 >90	Runs in 1' increments	L, U, Rectangle, Custom	
	Lit End Caps Direct: Flush Lens only			—	—	Matched to Direct, up to 625	125 ² 250 375 500 625 750 [†] 800 [†] 875 [†] 1000 [†] 1125 ³ 1250 ³	2700** 3000 3500 4000	>80 >90	—	—		
	<div></div> <div></div>	Point Source Only Direct/Indirect: Batwing optic and dust cover options.	—		—	—				Runs in 1' increments	—		
		Asymmetric Lens Direct			250 ^{††} 350 450	—				Runs in 1" increments			
		Flush/Batwing Direct		 		  				(Runs in 1' increments with Point Source options)			
		Fully Louvered Direct/Indirect: Batwing optic, dust cover and asymmetric optic options.	—	—	 	—				Runs in 6" increments			
	<div></div> <div></div>	0.5" Pop-Down Lens Direct		—						Runs in 1" increments			


Seem Family

The broad Seem family, with nominal apertures from one to six inches, offers many options to unite a space with lines of light and create a contemporary aesthetic. Find out more at focalpointlights.com/seem.

Seem 1



Seem 2



Seem 4



Seem 6

