

Seem® 2 LED Family




## Seem 2 LED Family



A narrow 2.5" aperture luminaire designed to fit organically into architecture and provide a clean visual aesthetic, Seem® 2 integrates with ceiling and walls in different configurations to bring harmony to interior spaces and to support diverse applications. It allows for design flexibility with modern finishes, individual lengths, continuous runs, or patterns in a variety of mounting styles: recessed, suspended, surface mount, and wall mount. Several shielding, color temperature, and distribution options provide the perfect blend of high performance and visual comfort.

|                        | SHIELDING                                 | DISTRIBUTION | LUMENS/FT   | COLO                         | <b>R</b><br>CRI | LENGTHS                      | PATTERNS                      |
|------------------------|---|--------------|---|------------------------------|-----------------|------------------------------|-------------------------------|
| Grid  RL (N) PL PRE DS | Asymmetric / Batwing / Flush Lens         |              | 125<br>250<br>375<br>500<br>625<br>750*<br>875*<br>1000*  | 2700<br>3000<br>3500<br>4000 | >80<br>>90      | Runs in 1"                   | L, U,<br>Rectangle,<br>Custom |
|                        | Regress Lens                              |              |   |                              |                 | increments                   |                               |
|                        | 0.5" Pop-Down Lens                        |              |   |                              |                 | Runs in 1' increments        |                               |
|                        | 1.5" Pop-Down Lens                        |              |   |                              |                 | Individual<br>units up to 8' |                               |
|                        | Flush Lens Asymmetric                     |              | 250<br>375<br>625<br>875<br>1000  | 3000<br>3500<br>4000         | >80             | Runs in 1'<br>increments     |                               |
| Drywall/Hard Ceiling   | Flush Lens                                |              | 125<br>250<br>375<br>625  | 2700<br>3000<br>3500<br>4000 | >80<br>>90      | Runs in 1"                   | Wall to ceiling,              |
|                        | Regress Lens                              |              |   |                              |                 | increments                   | L, U,<br>Rectangle,<br>Custom |
|                        | 0.5" Pop-Down Lens                        |              |   |                              |                 | Runs in 1' increments        |                               |
|                        | 1.5" Pop-Down Lens                        |              |   |                              |                 | Individual<br>units up to 8' |                               |
| RL PL POE (M) QS       | Flush Lens Asymmetric                     |              | 250<br>375<br>625<br>875<br>1000  | 3000<br>3500<br>4000         | >80             | Runs in 1' increments        |                               |
| Perimeter              | Flush Lens                                |              |   |                              |                 |                              |                               |
| RL N° PL PE            | 2.5" Regress                              |              | 125<br>250<br>375<br>625  | 2700<br>3000<br>3500<br>4000 | >80<br>>90      | Runs in 1" increments        | L, U,<br>Custom               |
|                        | 4.0" Regress                              |              |   |                              |                 |                              |                               |
| Suspended/Surface/Wall | Solid bottom, Indirect only               |              | 125<br>250<br>375<br>500<br>625<br>750<br>875<br>1000<br>1125 <sup>†</sup><br>1250 <sup>††</sup><br>1375 <sup>†</sup><br>1500 <sup>†</sup><br>1625 <sup>†</sup> | 2700<br>3000<br>3500<br>4000 | >80<br>>90      | Runs in 1" increments        | L, U,<br>Rectangle,<br>Custom |
|                        | Asymmetric / Batwing / Flush Lens         |              |   |                              |                 |                              |                               |
|                        | 0.5" Pop-Down Lens                        |              |   |                              |                 | Runs in 1'<br>increments     |                               |
|                        | 0.5" Pop-Up Lens                          |              |   |                              |                 |                              |                               |
|                        | 0.5" Pop-up & Pop-Down Lenses             |              |   |                              |                 |                              |                               |
|                        | 1.5" Pop-Down Lens                        |              |   |                              |                 | Individual<br>units up to 8' |                               |
| RL N PL QS             | Flush Lens Asymmetric<br>(Suspended only) |              |   | 3000<br>3500<br>4000         | >80             | Runs in 1'<br>increments     |                               |











## Seem Family

The broad Seem family, with nominal apertures from one to six inches, offers many options to unite a space with lines of light and create a contemporary aesthetic. Find out more at focalpointlights.com/seem.

