



ID+ 2.5" Round Downlight - 90 CRI

Color Options	Driver	Color Temperature	Optic	Distribution	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)
Standard White, 90 CRI	LZ1 L11 LFP LH1*	2700K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DNS-WFL2-xx-xx-JA8
				WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-WFL1-xx-xx-JA8
			DSS	WFL2	CD, WD, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-WFL2-CD-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-WFL2-WD-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-WFL2-WH-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-VWFL-CD-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-VWFL-WD-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-927K-DSS-VWFL-WH-xx-JA8
		3000K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DNS-WFL2-xx-xx-JA8
				WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-WFL1-xx-xx-JA8
			DSS	WFL2	CD, WD, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-WFL2-CD-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-WFL2-WD-xx-JA8
				WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-WFL2-WH-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-VWFL-CD-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-VWFL-WD-xx-JA8
				VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-930K-DSS-VWFL-WH-xx-JA8
3500K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DNS-NFL-xx-xx-JA8		
		FL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DNS-FL1-xx-xx-JA8		
		FL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DNS-FL2-xx-xx-JA8		
		WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DNS-WFL1-xx-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DNS-WFL2-xx-xx-JA8		
		WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-WFL1-xx-xx-JA8		
	DSS	WFL2	CD, WD, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-WFL2-CD-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-WFL2-WD-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-WFL2-WH-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-VWFL-CD-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-VWFL-WD-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-935K-DSS-VWFL-WH-xx-JA8		
4000K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DNS-NFL-xx-xx-JA8		
		FL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DNS-FL1-xx-xx-JA8		
		FL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DNS-FL2-xx-xx-JA8		
		WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DNS-WFL1-xx-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DNS-WFL2-xx-xx-JA8		
		WFL1		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-WFL1-xx-xx-JA8		
	DSS	WFL2	CD, WD, WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-WFL2-CD-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-WFL2-WD-xx-JA8		
		WFL2		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-WFL2-WH-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-VWFL-CD-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-VWFL-WD-xx-JA8		
		VWFL		FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-VWFL-WH-xx-JA8		
SWFL	WH	FLC2D-xxx-SW-xxx-120V-xxx-IC-JA8/LC2-xxx-xxx-940K-DSS-SWFL-WH-xx-JA8				

*1300 Lumens Max.



ID+ 2.5" Round Downlight - 97 CRI

Color Options	Driver	Color Temperature	Optic	Distribution	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)
High 97 CRI	LZ1 L11 LFP LH1*	2700K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K- DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K-DNS-WFL2-xx-xx-JA8
				DSS		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H27K-DSS-WFL1-xx-xx-JA8
		3000K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K- DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K-DNS-WFL2-xx-xx-JA8
				DSS		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H30K-DSS-WFL1-xx-xx-JA8
		3500K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K- DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K-DNS-WFL2-xx-xx-JA8
				DSS		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H35K-DSS-WFL1-xx-xx-JA8
		4000K	DNS	NFL	CD, WD, BK, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K- DNS-NFL-xx-xx-JA8
				FL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DNS-FL1-xx-xx-JA8
				FL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DNS-FL2-xx-xx-JA8
				WFL1		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DNS-WFL2-xx-xx-JA8
				DSS		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-WFL1-xx-xx-JA8
4000K	DSS	WFL1	CD, WD, BK, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-WFL1-xx-xx-JA8		
		WFL2	CD, WD, WH	FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-WFL2-WH-xx-JA8		
		VWFL		FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-VWFL-CD-xx-JA8		
				FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-VWFL-WD-xx-JA8		
				FLC2D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC2-xxx-xxxx-H40K-DSS-VWFL-WH-xx-JA8		

*1300 Lumens Max.



ID+ 2.5" Round Wall Wash

Trim	Color Option	Driver	Lumen Output	Color Temperature	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)	
Round Overlap	Standard White, 90 CRI	LZ1 L11 LFP LH1	500	4000K	WH	FLC2W-RDO-SW-500L-120V-xxx-IC-JA8/LC2-RDO-500L-940K-WW-WH-xx-JA8	
Round Trimless	Standard White, 90 CRI		500	2700K	WH	FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-927K-WW-WH-xx-JA8	
				3000K	CD, WD, WH	FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-930K-WW-CD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-930K-WW-WD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-930K-WW-WH-xx-JA8	
				3500K	CD, WD, WH	FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-935K-WW-CD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-935K-WW-WD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-935K-WW-WH-xx-JA8	
				4000K	CD, WD, WH	FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-940K-WW-CD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-940K-WW-WD-xx-JA8	
						FLC2W-RDT-SW-500L-120V-xxx-IC-JA8/LC2-RDT-500L-940K-WW-WH-xx-JA8	
				700	3000K	WH	FLC2W-RDT-SW-700L-120V-xxx-IC-JA8/LC2-RDT-700L-930K-WW-WH-xx-JA8
					3500K	WH	FLC2W-RDT-SW-700L-120V-xxx-IC-JA8/LC2-RDT-700L-935K-WW-WH-xx-JA8
			4000K		CD, WH	FLC2W-RDT-SW-700L-120V-xxx-IC-JA8/LC2-RDT-700L-940K-WW-CD-xx-JA8	
				FLC2W-RDT-SW-700L-120V-xxx-IC-JA8/LC2-RDT-700L-940K-WW-WH-xx-JA8			
			900	3000K	WH	FLC2W-RDT-SW-900L-120V-xxx-IC-JA8/LC2-RDT-900L-930K-WW-WH-xx-JA8	
				3500K	WH	FLC2W-RDT-SW-900L-120V-xxx-IC-JA8/LC2-RDT-900L-935K-WW-WH-xx-JA8	
				4000K	CD, WH	FLC2W-RDT-SW-900L-120V-xxx-IC-JA8/LC2-RDT-900L-940K-WW-CD-xx-JA8	
			FLC2W-RDT-SW-900L-120V-xxx-IC-JA8/LC2-RDT-900L-940K-WW-WH-xx-JA8				
			High 97 CRI	500	3000K	WH	FLC2W-RDT-HC-500L-120V-xxx-IC-JA8/LC2-RDT-500L-H30K-WW-WH-xx-JA8
					3500K		FLC2W-RDT-HC-500L-120V-xxx-IC-JA8/LC2-RDT-500L-H35K-WW-WH-xx-JA8
					4000K		FLC2W-RDT-HC-500L-120V-xxx-IC-JA8/LC2-RDT-500L-H40K-WW-WH-xx-JA8

TITLE 24 JA8 High Efficacy Lighting Reference Guide



ID+ 2.5" x 2.5" Square Downlight - 90 CRI

Color Options	Driver	Color Temperature	Optic	Distribution	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)
Standard White, 90 CRI	LZ1 L11 LFP LH1*	2700K	DNS	NFL	CD, WD, BK, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-NFL-xx-xx-JA8
				FL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-FL1-xx-xx-JA8
				FL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-FL2-xx-xx-JA8
				WFL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-WFL1-xx-xx-JA8
			WFL2	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-WFL2-CD-xx-JA8	
					FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-WFL2-WD-xx-JA8	
					FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DNS-WFL2-WH-xx-JA8	
					FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DSS-WFL1-xx-xx-JA8	
		DSS	WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DSS-WFL2-WH-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DSS-WFL2-WH-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DSS-VWFL-WH-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-927K-DSS-VWFL-WH-xx-JA8		
		3000K	DNS	NFL	CD, WD, BK, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DNS-NFL-xx-xx-JA8
				FL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DNS-FL1-xx-xx-JA8
				FL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DNS-FL2-xx-xx-JA8
				WFL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DNS-WFL1-xx-xx-JA8
				WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DNS-WFL2-xx-xx-JA8
				WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-WFL1-xx-xx-JA8
			DSS	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-WFL2-CD-xx-JA8	
					FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-WFL2-WD-xx-JA8	
					FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-WFL2-WH-xx-JA8	
				VWFL	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-VWFL-CD-xx-JA8
						FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-VWFL-WD-xx-JA8
						FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-VWFL-WH-xx-JA8
SWFL	WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-930K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-NFL-xx-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-FL1-xx-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-FL2-xx-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-WFL1-xx-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-WFL2-xx-xx-JA8				
3500K	DNS	NFL	CD, WD, BK, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-NFL-xx-xx-JA8		
		FL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-FL1-xx-xx-JA8		
		FL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-FL2-xx-xx-JA8		
		WFL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-WFL1-xx-xx-JA8		
		WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DNS-WFL2-xx-xx-JA8		
		WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-WFL1-xx-xx-JA8		
	DSS	CD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-WFL2-CD-xx-JA8			
			FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-WFL2-WH-xx-JA8			
			FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-VWFL-CD-xx-JA8			
		VWFL	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-VWFL-WD-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-VWFL-WH-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-935K-DSS-SWFL-WH-xx-JA8		
4000K	DNS	NFL	CD, WD, BK, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DNS-NFL-xx-xx-JA8		
		FL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DNS-FL1-xx-xx-JA8		
		FL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DNS-FL2-xx-xx-JA8		
		WFL1		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DNS-WFL1-xx-xx-JA8		
		WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DNS-WFL2-xx-xx-JA8		
		WFL2		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-WFL1-xx-xx-JA8		
	DSS	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-WFL2-CD-xx-JA8			
			FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-WFL2-WD-xx-JA8			
			FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-WFL2-WH-xx-JA8			
		VWFL	CD, WD, WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-VWFL-CD-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-VWFL-WD-xx-JA8		
				FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-VWFL-WH-xx-JA8		
SWFL	WH	FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				
		FLC22D-xxx-SW-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-940K-DSS-SWFL-WH-xx-JA8				

*1300 Lumens Max.



ID+ 2.5" x 2.5" Square Downlight - 97 CRI

Color Options	Driver	Color Temperature	Optic	Distribution	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)	
High 97 CRI	LZ1 L11 LFP LH1*	2700K	DNS	NFL	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-NFL-xx-xx-JA8	
				FL1	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL1-CD-xx-JA8	
						FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL1-WD-xx-JA8	
				FL2	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL1-WH-xx-JA8	
			FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL2-CD-xx-JA8				
			FL2	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL2-WD-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-FL2-WH-xx-JA8		
			WFL1	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-WFL1-CD-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-WFL1-WD-xx-JA8		
			WFL1	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-WFL1-WH-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DNS-WFL1-WH-xx-JA8		
			DSS	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DSS-WFL1-CD-xx-JA8		
		FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DSS-WFL1-WD-xx-JA8					
		DSS	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DSS-WFL1-WH-xx-JA8			
				FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H27K-DSS-WFL1-WH-xx-JA8			
		3000K	LZ1 L11 LFP LH1*	DNS	NFL FL1 FL2 WFL1	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-NFL-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-FL1-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-FL2-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-WFL1-xx-xx-JA8
					WFL2	WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-WFL2-WH-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DNS-WFL2-WH-xx-JA8
		DSS	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DSS-WFL1-xx-xx-JA8			
				FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H30K-DSS-WFL1-xx-xx-JA8			
		3500K	LZ1 L11 LFP LH1*	DNS	NFL FL1 FL2 WFL1	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-NFL-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-FL1-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-FL2-xx-xx-JA8
							FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-WFL1-xx-xx-JA8
					WFL2	WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-WFL2-WH-xx-JA8
FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DNS-WFL2-WH-xx-JA8							
DSS	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DSS-WFL1-xx-xx-JA8					
		FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H35K-DSS-WFL1-xx-xx-JA8					
4000K	LZ1 L11 LFP LH1*	DNS	NFL FL1 FL2 WFL1	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-NFL-xx-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-FL1-xx-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-FL2-xx-xx-JA8		
					FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-WFL1-xx-xx-JA8		
		WFL2	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-WFL2-CD-xx-JA8			
				FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-WFL2-WD-xx-JA8			
		WFL2	CD, WD, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-WFL2-WH-xx-JA8			
				FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DNS-WFL2-WH-xx-JA8			
DSS	CD, WD, BK, WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DSS-WFL1-xx-xx-JA8					
		FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DSS-WFL1-xx-xx-JA8					
DSS	WH	FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DSS-WFL2-WH-xx-JA8					
		FLC22D-xxx-HC-xxxx-120V-xxx-IC-JA8/LC22-xxx-xxxx-H40K-DSS-WFL2-WH-xx-JA8					

*1300 Lumens Max.



ID+ 2.5" x 2.5" Square Overlap Wall Wash

Trim	Color Option	Driver	Lumen Output	Color Temperature	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)
Square Overlap	Standard White, 90 CRI	LZ1 L11 LFP LH1	500	2700K	WH	FLC22W-SDO-SW-500L-120V-LH1-IC-JA8/LC22-SDO-500L-927K-WW-WH-xx-JA8
				3000K		FLC22W-SDO-SW-500L-120V-LH1-IC-JA8/LC22-SDO-500L-930K-WW-WH-xx-JA8
				3500K		FLC22W-SDO-SW-500L-120V-LH1-IC-JA8/LC22-SDO-500L-935K-WW-WH-xx-JA8
				4000K		FLC22W-SDO-SW-500L-120V-LH1-IC-JA8/LC22-SDO-500L-940K-WW-WH-xx-JA8
			700	2700K	WH	FLC22W-SDO-SW-700L-120V-LH1-IC-JA8/LC22-SDO-700L-927K-WW-WH-xx-JA8
				3000K		FLC22W-SDO-SW-700L-120V-LH1-IC-JA8/LC22-SDO-700L-930K-WW-WH-xx-JA8
				3500K		FLC22W-SDO-SW-700L-120V-LH1-IC-JA8/LC22-SDO-700L-935K-WW-WH-xx-JA8
				4000K		FLC22W-SDO-SW-700L-120V-LH1-IC-JA8/LC22-SDO-700L-940K-WW-WH-xx-JA8
			900	3000K	WH	FLC22W-SDO-SW-900L-120V-LH1-IC-JA8/LC22-SDO-900L-930K-WW-WH-xx-JA8
				3500K	WH	FLC22W-SDO-SW-900L-120V-LH1-IC-JA8/LC22-SDO-900L-935K-WW-WH-xx-JA8
				4000K	CD, WD, WH	FLC22W-SDO-SW-900L-120V-LH1-IC-JA8/LC22-SDO-900L-940K-WW-CD-xx-JA8
						FLC22W-SDO-SW-900L-120V-LH1-IC-JA8/LC22-SDO-900L-940K-WW-WD-xx-JA8
	1100	3000K	WH	FLC22W-SDO-SW-1100L-120V-LH1-IC-JA8/LC22-SDO-1100L-930K-WW-WH-xx-JA8		
		3500K	WH	FLC22W-SDO-SW-1100L-120V-LH1-IC-JA8/LC22-SDO-1100L-935K-WW-WH-xx-JA8		
		4000K	CD, WD, WH	FLC22W-SDO-SW-1100L-120V-LH1-IC-JA8/LC22-SDO-1100L-940K-WW-CD-xx-JA8		
				FLC22W-SDO-SW-1100L-120V-LH1-IC-JA8/LC22-SDO-1100L-940K-WW-WD-xx-JA8		
	High 97 CRI	LZ1 L11 LFP LH1	500	2700K	WH	FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H27K-WW-WH-xx-JA8
				3000K	CD, WD, WH	FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H30K-WW-CD-xx-JA8
						FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H30K-WW-WD-xx-JA8
				3500K	CD, WD, WH	FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H35K-WW-CD-xx-JA8
FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H35K-WW-WD-xx-JA8						
4000K				CD, WD, WH	FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H40K-WW-CD-xx-JA8	
					FLC22W-SDO-HC-500L-120V-LH1-IC-JA8/LC22-SDO-500L-H40K-WW-WD-xx-JA8	
700				2700K	WH	FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H27K-WW-WH-xx-JA8
			3000K	CD, WD, WH	FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H30K-WW-CD-xx-JA8	
					FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H30K-WW-WD-xx-JA8	
			3500K	CD, WD, WH	FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H35K-WW-CD-xx-JA8	
FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H35K-WW-WD-xx-JA8						
4000K	CD, WD, WH	FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H40K-WW-CD-xx-JA8				
		FLC22W-SDO-HC-700L-120V-LH1-IC-JA8/LC22-SDO-700L-H40K-WW-WD-xx-JA8				



ID+ 2.5" x 2.5" Square Trimless Wall Wash

Trim	Color Option	Driver	Lumen Output	Color Temperature	Finish	Housing / Trim & LED Module (Use the cut sheet to replace x and complete the ordering string)		
Square Trimless	Standard White, 90 CRI	LZ1 L11 LFP LH1	500	2700K	CD, WD, WH	FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-927K-WW-CD-xx-JA8 FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-927K-WW-WD-xx-JA8 FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-927K-WW-WH-xx-JA8		
				3000K	CD, WD, BK, WH	FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-930K-WW-xx-xx-JA8		
				3500K	CD, WD, BK, WH	FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-935K-WW-xx-xx-JA8		
			4000K	CD, WD, BK, WH	FLC22W-SDT-SW-500L-120V-LH1-IC-JA8/LC22-SDT-500L-940K-WW-xx-xx-JA8			
			700	2700K	CD, WD, WH	FLC22W-SDT-SW-700L-120V-LH1-IC-JA8/LC22-SDT-700L-927K-WW-CD-xx-JA8 FLC22W-SDT-SW-700L-120V-LH1-IC-JA8/LC22-SDT-700L-927K-WW-WD-xx-JA8 FLC22W-SDT-SW-700L-120V-LH1-IC-JA8/LC22-SDT-700L-927K-WW-WH-xx-JA8		
				3000K	CD, WD, BK, WH	FLC22W-SDT-SW-700L-120V-LH1-IC-JA8/LC22-SDT-700L-930K-WW-xx-xx-JA8		
				3500K	CD, WD, BK, WH	FLC22W-SDT-SW-700L-120V-LH1-IC-JA8/LC22-SDT-700L-935K-WW-xx-xx-JA8		
			900	2700K	WH	FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-927K-WW-WH-xx-JA8		
				3000K	CD, WD, WH	FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-930K-WW-CD-xx-JA8 FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-930K-WW-WD-xx-JA8 FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-930K-WW-WH-xx-JA8		
				3500K	CD, WD, WH	FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-935K-WW-CD-xx-JA8 FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-935K-WW-WD-xx-JA8 FLC22W-SDT-SW-900L-120V-LH1-IC-JA8/LC22-SDT-900L-935K-WW-WH-xx-JA8		
			1100	2700K	WH	FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-927K-WW-WH-xx-JA8		
				3000K	CD, WD, WH	FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-930K-WW-CD-xx-JA8 FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-930K-WW-WD-xx-JA8 FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-930K-WW-WH-xx-JA8		
				3500K	CD, WD, WH	FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-935K-WW-CD-xx-JA8 FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-935K-WW-WD-xx-JA8 FLC22W-SDT-SW-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-935K-WW-WH-xx-JA8		
			High 97 CRI	LZ1 L11 LFP LH1	500	2700K	CD, WD, WH	FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H27K-WW-CD-xx-JA8 FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H27K-WW-WD-xx-JA8 FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H27K-WW-WH-xx-JA8
						3000K	CD, WD, BK, WH	FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H30K-WW-xx-xx-JA8
						3500K		FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H35K-WW-xx-xx-JA8
					4000K	FLC22W-SDT-HC-500L-120V-LH1-IC-JA8/LC22-SDT-500L-H40K-WW-xx-xx-JA8		
					700	2700K	CD, WD, WH	FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H27K-WW-CD-xx-JA8 FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H27K-WW-WD-xx-JA8 FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H27K-WW-WH-xx-JA8
	3000K	CD, WD, BK, WH				FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H30K-WW-xx-xx-JA8		
	3500K					FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H35K-WW-xx-xx-JA8		
	4000K	FLC22W-SDT-HC-700L-120V-LH1-IC-JA8/LC22-SDT-700L-H40K-WW-xx-xx-JA8						
	900	3000K			WH	FLC22W-SDT-HC-900L-120V-LH1-IC-JA8/LC22-SDT-900L-H30K-WW-WH-xx-JA8		
		3500K				FLC22W-SDT-HC-900L-120V-LH1-IC-JA8/LC22-SDT-900L-H35K-WW-WH-xx-JA8		
		4000K				FLC22W-SDT-HC-900L-120V-LH1-IC-JA8/LC22-SDT-900L-H40K-WW-WH-xx-JA8		
	1100	3000K			WH	FLC22W-SDT-HC-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-H30K-WW-WH-xx-JA8		
		3500K				FLC22W-SDT-HC-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-H35K-WW-WH-xx-JA8		
		4000K				FLC22W-SDT-HC-1100L-120V-LH1-IC-JA8/LC22-SDT-1100L-H40K-WW-WH-xx-JA8		