

ARCHITECTURAL LED TROFFERS






ECONOMICAL & HIGH PERFORMANCE

AMICA 2



Designed for shallow plenum applications with a classic aesthetic. Even illumination and high efficiency at a competitive price point.




Easy maintenance with below ceiling access.

EQUATION™ 2



Efficient with a sleek aesthetic, versatile mounting options and uniform diffuse illumination.



Easy maintenance with below ceiling access.



COMFORTABLE & FLEXIBLE

LUNA® LED



Curved one-piece housing with perforated center basket and frosted side diffusers provide a soft and balanced appearance for exceptional visual comfort.




High angle uniform distribution with indirect glare-free illumination.

ZEPHYR®



A non-directional luminaire with a unique design creating the impression of a floating bottom lens.



Dual lens optical solution controls brightness while maintaining high efficiency.





HIGH DESIGN

FACETTA



A sharp angled lens inspired by the facets of a prism, a soft uniform glow creates visual appeal.





Hinged optical assembly allows for easy maintenance with below ceiling access.

NIVO®



Playful and dynamic, infuse texture and pattern to ceiling planes with a solid or hollow drop-down lens.



	ECONOMICAL & HIGH PERFORMANCE		COMFORTABLE & FLEXIBLE		HIGH DESIGN	
	AMICA 2	EQUATION 2	LUNA LED	ZEPHYR	FACETTA	NIVO
LUMEN OUTPUTS <small>*Consult cutsheet, not available in all sizes.</small>	2000 6000*	1000* 5000	2000* 5000*	1000 5000	1000 4000	1000
	2500 6500*	1500* 5500	2500* 5500*	1500 5500	1500 4500	1500
	3000 7000*	2000 6000	3000 6000*	2000 6000*	2000 5000	2000
	3500 7500*	2500 6500	3500 6500*	2500 6500*	2500 5500	2500
	4000 8000*	3000 7000*	4000* 7000*	3000 7000*	3000 6000	3000
	4500	3500 7500*	4500*	3500 7500*	3500	3500
	5000	4000 8000*		4000		4000
	5500*	4500 8500*		4500		
CCT <small>Additional CCTs available upon request</small>	3000K - 4000K	2700K - 4000K	2700K - 4000K	2700K - 4000K	2700K - 4000K	3000K - 4000K
HOUSING HEIGHT	3.90"	3.91" 4.77" (1x1)	5.03" 5.00" (1x4)	5.57" 5.21" (1x4)	5.42"	5.07"
MOUNTING	Recessed Surface Suspended	Recessed Surface Suspended	Recessed Surface Suspended	Recessed	Recessed	Recessed
SIZES	1x2, 1x4, 2x2, 2x4	1x1, 1x4, 2x2, 2x4	1x4, 2x2, 2x4	1x4, 2x2	2x2	2x2



Delivers lighting that effectively renders color for human preference, to create more comfortable and visually appealing environments. For more information visit focalpointlights.com/PreferredLight



Connected Solutions

Integrates with intelligent building management systems through wired and wireless networks. For more information visit focalpointlights.com/ConnectedSolutions

©2020 Focal Point, LLC. 4141 S. Pulaski Road, Chicago, IL 60632 | T 773.247.9494 | www.focalpointlights.com
 All rights reserved. "Focal Point", "Bringing It All To Light", "Equation", "Luna", "Nivo", "Zephyr" and the light-ray graphic are trademarks or registered trademarks of Focal Point, LLC. Visit focalpointlights.com for specifications and other details on our entire Focal Point catalog.



Quickship



Right Light



PoE Compatible